



Easy Lock Flat Step

Art. Nr: 4760-4761-4762-4763-4764-4765-4766-4767



(DE) WICHTIG! BITTE SORGFÄLTIG LESEN UND FÜR SPÄTERES NACHLESEN UNBEDINGT AUFBEWAHREN.	(PL) WAŻNE! PRZECZYTAJ UWAŻNIE I ZACHOWAJ NA PRZYSZŁOŚĆ JAKO ODNIESIENIE.
(GB) IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE.	(CZ) DŮLEŽITÉ! POKYNY SI POZORNĚ PŘEČTĚTE A USCHOVEJTE PRO POZDĚJŠÍ POUŽITÍ.
(FR) IMPORTANT ! LIRE ET RESPECTER SCRUPULEUSEMENT CES INSTRUCTIONS ET LES CONSERVER POUR UNE CONSULTATION ULTÉRIEURE	(PT) IMPORTANTE! LEIA CUIDADOSAMENTE E GUARDE PARA REFERÊNCIA FUTURA.
(NL) BELANGRIJK! LEES ZORGVULDIG EN BEWAAR VOOR LATERE RAADPLEGING.	(TR) ÖNEMLİ! DİKKATLİ BİR ŞEKİLDE OKUYUN VE İLERİDE BAŞVURMAK ÜZERE SAKLAYIN.
(IT) IMPORTANTE: LEGGERE ATTENTAMENTE E CONSERVARE PER FUTURO RIFERIMENTO.	(RU) ВАЖНО! ПОЖАЛУЙСТА, ВНИМАТЕЛЬНО ПРОЧИТАЙТЕ ИНСТРУКЦИЮ. ПОЖАЛУЙСТА, СЛЕДУЙТЕ ИНСТРУКЦИИ.
(DK) VIGTIGT! LÆS OMHYGGELIGT OG GEM TIL SENERE BRUG.	(SK) DÔLEŽITÉ! ČÍTAJTE POZORNE A UCHOVAJTE PRE BUDÚCE POUŽITIE.
(ES) IMPORTANTE! LEER DETENIDAMENTE Y MANTENERLAS PARA FUTURAS CONSULTAS.	(SE) VIKTIGT! LÄS NOGGRANT OCH SPARA FÖR FRAMTIDA BRUK.
(HU) FONTOS! FIGYELMESEN OLVASSA EL ÉS ŐRIZZE MEG KÉSŐBBI FELHASZNÁLÁS ESETÉRE.	(RS) VAŽNO! NE ŽURITE SA UGRADNJOM I PAŽLJIVO PROČITAJTE SVA UPUTSTVA. SAČUVATI ZA KASNIJU UPOTREBU.
(FI) TÄRKEÄÄ! LUE HUOLELLISESTI JA SÄILYTÄ VASTAISUUDEN VARALLE.	(JP) 重要！組み立てには十分な時間をかけ、説明書をよく読んで行ってください。この説明書を大切に保管してください。
(SI) VAŽNO! NAVODILO SHRANITE ZA KASNEJŠO KONTROLO.	(CN) 请注意！千万不要匆忙开始安装，请先仔细阅读安装说明书后再安装。请妥善保存说明书以备今后查阅。
(HR) VAŽNO! PAŽLJIVO PROČITAJTE I ČUVAJTE ZA BUDUĆE POTREBE.	(KR) 중요사항! 조립하는데 충분한 시간을 갖고 설명서를 정확하게 끝까지 다 읽으십시오. 나중에 참조할 수 있도록 설명서를 보관하십시오.
(NO) VIKTIG! LES NØYE OG OPPBEVAR FOR FREMTIDIG BRUK.	(GR) ΠΡΟΣΟΧΗ! ΔΙΑΒΑΣΤΕ ΠΡΟΣΕΚΤΙΚΑ ΚΑΙ ΦΥΛΑΞΤΕ ΓΙΑ ΜΕΛΛΟΝΤΙΚΗ ΧΡΗΣΗ

PRE-INSTALLATION ADVICE



BEFORE INSTALLATION,
THIS GAP IS OK!

THE GAP WILL CLOSE WHEN
THE GATE IS CORRECTLY
INSTALLED.

ADDITIONAL INFORMATION

Easy Lock Flat Step Gate, 69cm – 76cm, adjusts to fit openings from 69cm to 76cm, up to 106cm with extensions.

Easy Lock Flat Step Gate, 76cm – 83cm, adjusts to fit openings from 76cm to 83cm, up to 113cm with extensions.

Easy Lock Flat Step Gate, 83cm – 90cm, adjusts to fit openings from 83cm to 90cm, up to 120cm with extensions.

Easy Lock Flat Step Gate, 90cm – 97cm, adjusts to fit openings from 90cm to 97cm, up to 127cm with extensions.


Easy Lock Flat Step Gate, 97cm – 104cm, adjusts to fit openings from 97cm to 104cm, up to 134cm with extensions.

Easy Lock Flat Step Gate, 104cm – 111cm, adjusts to fit openings from 104cm to 111cm, up to 141cm with extensions.


Easy Lock Flat Step Gate, 111cm – 118cm, adjusts to fit openings from 111cm to 118cm, up to 148cm with extensions.

Easy Lock Flat Step Gate, 118cm – 125cm, adjusts to fit openings from 118cm to 125cm, up to 155cm with extensions.

ITEM INCLUDED



x1




x4



x4



x4



x4





x4


E

F


1




Place wall cup (C) on spindle (B) x 4




Place barrier in position




Check barrier uprights are vertical, and the top of the gate is horizontal.





Mark position of wall cups (C)
Peel & stick wall cups (C x4)
in position using with
adhesive pads (D x4)



Apply pressure to pads,
allow to set before use







Use screws to fix
the wall cup

2**TIGHTEN BOTH BOTTOM HANDWHEELS****3****TIGHTEN BOTH TOP HANDWHEELS**

4

OPERATING INSTRUCTIONS - TO OPEN



5


OPERATING INSTRUCTIONS - TO CLOSE



EN - GREEN
ES - VERDE
IT - VERDE
FR - VERT
DE - GRÜN
NL - GROEN




RED
ROJO
ROSSO
ROUGE
ROT
ROOD




6

OPERATING INSTRUCTIONS – TO USE THE OPTIONAL ONE-WAY OPENING RESTRICTOR






- Turn the Restrictor in front of the frame on the side that you wish the safety barrier to open. The safety barrier will now open towards the side of the Restrictor only.
- When the safety barrier is used at the top of the stairs, the gate should be opened towards the landing and prevented from opening towards the stairs for safety.

OPTIONAL EXTENSIONS



OPTIONAL EXTENSIONS - ASSEMBLY



DE Wichtig! Es dürfen nur 1 Verlängerungen verwendet werden.
FR Important! Seules 1 extensions peuvent être utilisées.
EN Important! Only 1 extensions may be used.
IT Importante! Si possono usare solo 1 estensioni!
NL Belangrijk! Er mogen maar 1 uitbreidingen worden gebruikt